1 1. The method comprising:
2 receiving image data; and
3 simultaneously determining at least two filters
4 of different sizes from said data.

- 2. The method of claim 1 wherein receiving data includes receiving a matrix of data having rows and columns, and reducing the number of rows and reducing the number of columns.
- 3. The method of claim 2 including adding rows
 together and adding columns together.
- The method of claim 1 including progressively calculating filters from smaller to larger sizes.
- 5. The method of claim 4 including receiving image data values, adding the values together, and multiplying the values by convolution coefficients.
- 1 6. The method of claim 5 including reusing the
 2 results of said additions and multiplications calculated
 3 for one filter size, when calculating a filter of a larger
 4 size.
- 7. The method of claim 1 including receiving data
 values in rows and columns, and adding together data values
 along diagonals.

1

11.

8. The method of claim 1 including calculating at least two filters for a first pixel among said image data and then calculating a filter for an adjacent pixel.

- 9. The method of claim 1 including simultaneously generating at least three filters of different sizes.
- 1 10. The method of claim 1 including successively calculating filters of progressively larger size.
- 2 instructions that enable a processor-based system to:
 3 receive image data; and
 4 simultaneously determine at least two filters of
 5 different sizes from said data.

An article comprising a medium storing

- 1 13. The article of claim 12 further storing
 2 instructions that enable the processor-based system to add
 3 values associated with rows together and to add values
 4 associated with columns together.

1

3 4

1

2

3

4

1 14. The article of claim 11 further storing
2 instructions that enable the processor-based system to
3 progressively calculate filters from smaller to larger
4 sizes.

- 1 15. The article of claim 14 further storing 2 instructions that enable the processor-based system to 3 receive image data values, add the values together, and 4 multiply the values by convolution coefficients.
- 1 16. The article of claim 15 further storing
 2 instructions enable the processor-based system to reuse the
 3 results of said additions and multiplications calculated
 4 for one filter size, when calculating a filter of a larger
 5 size.
 - 17. The article of claim 11 further storing instructions that enable the processor-based system to receive data values in rows and columns, and add together data values along diagonals.
 - 18. The article of claim 11 further storing instructions that enable the processor-based system to calculate at least two filters for a first pixel among said mage data and then calculate a filter for an adjacent pixel.

3

```
19. The article of claim 11 further storing
1
   instructions that enable the processor-based system to
2
   simultaneously generate at least three filters of different
3
4
   sizes.
             The article of claim 11 further storing
1
2
   instructions that enable the processor-based system to
   successively calculate filters of progressively larger
3
   size.
4
1
        21.
             The system comprising:
             a first set of adders to add together rows and to
2
   add together/columns of image data; and
3
             a/second set of adders and a first set of
4
5
   multipliers to calculate at least two different filter
   sizes from said image data.
6
             The system of claim 21 that progressively
1
2
   calculates filters from smaller to larger sizes.
        23. The system of claim 22 that utilizes the results
1
2
   from said second set of adders and first set of multipliers
   for one filter size, when calculating a filter of a larger
3
4
   of a plarger size.
             The system of claim 21 including a state machine
1
   that controls the operation of said first and second adders
2
```

and said first set of multipliers.

1 25. The system of claim 21 wherein said second set of

2 adders adds image data along diagonals.

The Arth 1821 1821 of Feet fire 1825 that their state that

The Hard Hart Will Still Hard